EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5406261".pn,	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/07/30 12:49
S1	1	"5610981".pn.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/23 16:06
\$2	22	"893670"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/23 18:11
S3	1	"10567335"	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 09:49
S4	13	"643537"	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 11:12
S6	1	"6463537".pn.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 11:14
S7	1	"4951249".pn.	US-PGPUB; USPAT; USOCR; FPRS	OR	OFF	2009/07/24 11:19
S8	4	"4951249".pn. or "5146499".pn. or "5007082".pn. or "5187352".pn.	US-PGPUB; USPAT; USOOR; FPRS	OR	OFF	2009/07/24 11:40
S12	158	pull\$ off with interface	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:04
S15	1	(alarm or alarm circuit) disabl\$4 with pins	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:09
S16	5	pull\$3 hard disc	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:14
S17	1	pull\$3 pins with alarm	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:15
S18	1787	pull\$3 with alarm	US-PGPUB; USPAT	A DJ	OFF	2009/07/27 11:17
S21	2	disconnect\$3 terminal pins	US-PGPUB; USPAT	A DJ	OFF	2009/07/27 11:17
S22	12	pull\$3 off with data storage	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 11:22

S23	253	alarm circuit with parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 12:30
\$25	4	alarm circuit with parallel with resistors	US-PGPUB; USPAT	ADJ	OFF	2009/07/27 12:30
S28	238187	star wiring	USPAT	OR	OFF	2009/07/27 12:54
S29	89	star wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 12:54
S30	1	star wiring with alarm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 12:55
S31	37	star wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:02
S33	10	unplug\$4 (data storage or hard drive or storage device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:09
S34	41842	(unplug\$4 or disconnect \$3 or remov\$4 or pull\$3) with (data storage or hard drive or storage device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:13
S 35	55	(unplug\$4 or disconnect \$3 or remov\$4 or pull\$3) with (data storage or hard drive or storage device) with alarm	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 13:13
S36	1	two capacitors with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:39
S37	26	capacitors with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:40
S38	13172	capacitors with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:48
S39	709	two capacitors with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:48
S42	2	two capacitors with network with detection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:48
S43	505	two capacitors with lines	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:50
S44	13	two capacitors with lines with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 16:50

S46	2855	network lines	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 17:11
S48	9	S46 with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 17:11
S49	6	network connections with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 17:20
S50	266023	capacitor	USPAT	OR	OFF	2009/07/27 17:24
851	100	(US-20020143934-\$ or US-20030169851-\$ or US-20030169851-\$ or US-200030169851-\$ or US-200701893711-\$ or US-20070189371-\$ or US-20070189371-\$ or US-2007018935-\$ or US-2009035151-\$ or US-2002003210-\$ or US-2002003210-\$ or US-200200321-\$ or US-2002017200-\$ or US-20040055205-\$ or US-20040075521-\$ or US-20040075521-\$ or US-20040075521-\$ or US-20040075520-\$ or US-20040075520-\$ or US-20040075520-\$ or US-2005012562-\$ or US-2005012562-\$ or US-20050151622-\$ or US-2005015422-\$ or US-2005015422-\$ or US-2005015422-\$ or US-2005015422-\$ or US-2005015422-\$ or US-2005015422-\$ or US-2005015425	ÜS-PGPUB; USPAT	OR	OFF	2009/07/27

4356475-\$ or US-		1		
RE31750-\$ or US-		1		
4558311-\$ or US-				
4628520-\$ or US-			1	
4851815-\$ or US-				
4890095-\$ or US-				
4908604-\$ or US-				
5237518-\$ or US-			1	
5438996-\$ or US-		-		
5574430-\$ or US-		***		
5748508-\$ or US-		*		
5764159-\$ or US-				
6023222-\$ or US-	-			
6040779-\$ or US-				
6079025-\$).did. or (US-				
6133838-\$ or US-				
6472986-\$ or US-				
6614038-\$ or US-		1		
6703931-\$ or US-				
6849860-\$ or US-				
6894610-\$ or US-		1		
6917294-\$ or US-		-		

7034680-\$ or US-		*		
7130468-\$ or US-				
7298535-\$ or US-				
7324002-\$ or US-	1	*		
7373529-\$ or US-				
7437922-\$ or US-	-	***		
7530641-\$ or US-	***			
3596065-\$ or US-				
3598917-\$ or US-	and the same of th	***		
3624316-\$ or US-				
3681706-\$ or US-	***	-		
3703681-\$ or US-	and the same of th	-		
3770896-\$ or US-				
3813500-\$ or US-	***	***		
3839707-\$ or US-	-	-		
3841315-\$ or US-	department	-		
3969711-\$ or US-	44	-		
4023163-\$ or US-	and the same of th	-		
4086917-\$ or US-				
4096396-\$).did. or (US-		1		
4097696-\$ or US-				
4137780-\$ or US-		1		
4163227-\$ or US-				
4188624-\$ or US-				
4220951-\$ or US-				
4240077-\$ or US-		*	į	
4250829-\$ or US-		-		
4273961-\$ or US-				
4359626-\$ or US-			,	
4369436-\$ or US-		1	ļ	
4390869-\$ or US-	***			
4399428-\$ or US-			,	
4477755-\$ or US-		1		
4481503-\$).did.		1		

S52	19	S50 and S51	USPAT	OR	OFF	2009/07/27 17:25
S53	14168	alarm with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 17:41
S54	180	alarm circuit with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	**************************************	2009/07/27 17:41
S55	1	alarm circuit with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 17:41
S57	4	alarm circuit connect\$3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 17:59
S59	2	alarm connect\$3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:01
S60	74	alarm connect\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:03
S61	97	star wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:16
S62	1	star wiring with capacitors	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:17

S63	24	star wiring and capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:17
S64	1	star wiring same capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:18
S65	329	star near3 wiring	US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:19
S66	2	(star near3 wiring) with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:19
S67	35	alarm circuit with transmission line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:21
S68	1	alarm circuit with transmission line with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:26
S69	3	alarm circuit with line with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/27 18:27
S72	13172	network with capacitors	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 18:32
S73	110	network with capacitors and alarm circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	A DJ	OFF	2009/07/27 18:33
S75	13	network with capacitors same alarm circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	OFF	2009/07/27 18:33

S77	55 	(cut\$4 off) near3 (network connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2009/07/28 07:49
S80	2	(cut\$4 off) near3 (network connection) with detect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 07:51
S81	5	(cut\$4 off) with (network connection) with detect \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 07:51
S83	39	alarm near3 (network connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 08:31
S84	286	alarm with (network connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 08:38
S 85	97	star wiring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 09:17
S87	1	star wiring with capacitors	US-PCPUB; USPAT; USOCR; FPRS, EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 09:17
S90	8	wye near capacitors	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	OFF	2009/07/28 09:19

S91	30582	(monitor\$4 or detect\$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 09:21
S92	23566	(monitor\$4 or detect\$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:21
S93	215	S92 with alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:22
S94	24	S92 with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:22
S96	23	radial wiring	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:47
S98	32	STAR configuration with capacitors	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 09:49
S101	3	STAR system with capacitors	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 09:57
S104	54	(STAR or "Y") configuration with capacitors	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 10:02
S105	22	(STAR or "Y") configuration with capacitors not S98	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 10:02
S107	16	alarm connect\$3 near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:25
S108	74	alarm connect\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:28
S109	15	alarm coupl\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:29
S110	4	alarm circuit coupl\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	OFF	2009/07/28 11:31

S111	111	alarm circuit connect\$4 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:31
S113	36	alarm circuit connect\$4 with line	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:34
S115	5	alarm connect\$4 with line with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:37
S117	2	alarm connect\$4 with link with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:37
S118	54	alarm connect\$4 with cable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 11:38
S119	17	alarm connect\$4 near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:08
S120	5121	alarm near3 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:10
S121	17	alarm near3 network connection	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	OFF	2009/07/28 14:11

S122	1	alarm circuit near3 network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	OFF	2009/07/28 14:12
S123	**************************************	alarm circuit with network connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:12
S124	180	alarm circuit with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 14:13
S125	129	alarm circuit with network	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 14:13
S126	17	"531375"	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 14:37
S127	1	"5231375".pn.	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 14:37
S128	29	multiple alarms near4 network	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 14:55
S129	1	multiple alarms near4 lines	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 14:59
S130	2	multiple alarms with lines	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 15:00
S131	684	alarms with lines	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 15:01
S132	49	alarm circuits with lines	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 15:02
S133	106	capacitors near3 lines with network	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 15:55
S134	1	two capacitors near3 lines with network	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 16:02
S135	13	two capacitors with lines with network	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 16:02
S136	1	two capacitors with cables with network	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 16:06
S137	460	capacitors near3 transmission lines	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/28 16:16
S138	266242	capacitor	USPAT	OR	OFF	2009/07/28 16:23
S139	764	710/74.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:51

S140	3	S139 and monitor\$3 device	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:51
S141	3	S139 and (monitor\$3 computer)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:54
S142	0	S139 and (monitor\$4 or detect\$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOOR	ADJ	OFF	2009/07/28 17:55
S143	55	"710".clas. and (monitor \$4 or detect\$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:55
S144	8	S143 and alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 17:58
S145	0	S143 and alarm	FPRS; EPO; JPO	ADJ	OFF	2009/07/28 18:00
S146	23566	(monitor\$4 or detect\$4) with (line or signal or bus) with (capacitor)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 18:00
S147	4087	(monitor\$4 or detect\$4) with (line or signal or bus) with (capacitor)	FPRS; EPO; JPO	ADJ	OFF	2009/07/28 18:00
S148	46	(monitor\$4 or detect\$4) with (line or signal or bus) with (capacitor) with alarm	FPRS; EPO; JPO	A DJ	OFF	2009/07/28 18:00
S149	1	alarm circuits near3 parallel	FPRS; EPO; JPO	ADJ	OFF	2009/07/28 18:08
S150	15	alarm circuits near3 parallel	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/28 18:19
S151	9	alarm circuits near3 parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:27
S152	20	alarm circuits with parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:46
S153	9	(alarm circuits with parallel) and resistors	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:48
S154	10894	resistors near2 parallel	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:58
S155	21	resistors near2 parallel and (alarm circuits)	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 18:58

S156	6 16	(US-20020191624-\$). did. or (US-5610981-\$ or US-4951249-\$ or US-6463537-\$ or US-4901657-\$ or US-4908604-\$ or US-4908603-\$ or US-6931102-\$ or US-6195677-\$ or US-6195677-\$ or US-6195677-\$ or US-619567-\$ or US-619567-\$ or US-619567-\$ or US-619567-\$ or US-6195681-\$ or US-61	US-PGPUB; USPAT	OR.	OFF	2009/07/29 08:56
		4675654-\$).did.				
S157	14	S156 and (rest current)	USPAT	OR	OFF	2009/07/29 08:57
S158	0	S156 and (rest current)	USPAT	ADJ	OFF	2009/07/29 08:57
S160	0	(rest current) with alarm circuit	USPAT	ADJ	OFF	2009/07/29 09:00
S161	5	(rest current) with alarm	USPAT	ADJ	OFF	2009/07/29 09:00
S162	9	(rest current) with alarm	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:01
S163	1	(rest current) with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:01
S164	7	monitor\$3 near3 (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:04
S165	15	monitor\$3 with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:07
S166	8	S165 not S164	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:07
S167	1	alarm detection with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:09
S169	9	alarm with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:09
S170	0	detectionwith (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:11
S171	5	detection with (rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:11
S172	808	rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:23
S173	808	(rest current)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:31
S174	23	random-check generator	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:35
S175	1	random-check generator with rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:36

S176	0	randomgenerator with rest current	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 09:36
S177	0	random generator with rest current	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 09:36
S178	1	check generator with rest current	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 09:36
S179	7	monitor with rest current	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 10:49
S180	120	rest current with circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:32
S181	120	"rest current" with circuit	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 12:37
S182	1278	current with alarm circuit	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 12:42
S183	0	current absorption with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:42
S184	17	quiescent with alarm circuit	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 12:42
S188	301	quiescent with alarm	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 12:53
S189	1	bolt gun with destroy	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 14:17
S190	9	mechanical destroy	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 14:18
S191	84	mechanical\$2 destroy	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 14:20
S192	95	degausser	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 14:54
S193	2	degausser with alarm	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 14:54
S194	40	mechanical shredder	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:08
S195	128	shredder with computer	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 15:11
S196	2	mechanical\$2 destroy\$3 data	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:13
S197	422	mechanical\$2 destroy\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:14
S198	10	mechanical\$2 destroy\$3 with data	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 15:17
S199	20	data shredder	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:17
\$200	102	mechanical\$2 eras\$3	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 15:19
S201	37	destroy\$3 with data carrier	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 15:23

S214	29	"395627"	USPAT; DERWENT	OR	OFF	2009/07/30 10:40
S213	2	S212 and (quiescent or quiessent)	USPAT	OR	OFF	2009/07/29 17:09
\$212	20	(US-20020191624-\$ or US-20030160119-\$ or US-20030160119-\$ or US-20020170473-\$).did. or (US-5610981-\$ or US-4951249-\$ or US-4951249-\$ or US-4951249-\$ or US-4951057-\$ or US-4908604-\$ or US-4060803-\$ or US-6931102-\$ or US-6194677-\$ or US-6194679-\$ or US-63546880-\$ or US-6534685-\$ or US-6559466-\$ or US-6559557-\$ or US-655957-\$	US-POPUB; USPAT	(CR	OFF	2009/07/29 17:08
S211	198	(device with destroy\$3 with storage) and mechanical\$2	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:25
S210	764	device with destroy\$3 with storage	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 16:20
\$209	1	data with destroy\$3 with bolt	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 16:20
\$208	18	data with destroy\$3 with shredder	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:18
S207	9	mechanical\$2 with destroy\$3 with shredder	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 16:17
\$206	0	mechanical\$2 with destroy\$3 with hard drive	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 16:17
S205	6	mechanical\$2 with destroy\$3 with (RAM or ROM)	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 16:16
S204	0	mechanical\$2 destroy\$3 with (RAM or ROM)	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 16:16
\$203	99	destroy\$3 with hard drive	US-PGPUB; USPAT; USOCR	ADJ	OFF	2009/07/29 16:08
S202	527	destroy\$3 with data storage	US-PGPUB; USPAT; USOCR	A DJ	OFF	2009/07/29 15:28

\$215	20	US-20030160119-\$ or US-20030160119-\$ or US-20020170473-\$).did. or (US-5610981-\$ or US-4951249-\$ or US-4951249-\$ or US-4951249-\$ or US-4908064-\$ or US-4908064-\$ or US-400803-\$ or US-6931102-\$ or US-6195677-\$ or US-6346880-\$ or US-6346880-\$ or US-6539486-\$ or US-6539486-\$ or US-6575654-\$ or US-4675654-\$ or US-4675654-\$ or US-4675654-\$ or US-5406261-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/07/30
S216	20	S215	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/07/30 10:45
S217	1	"09068889"	USPAT; DERWENT	OR	OFF	2009/07/30 10:46
S218	2	"6081193".pn.	USPAT; DERWENT	OR	OFF	2009/07/30 10:47

7/30/2009 2:25:20 PM

C:\ Documents and Settings\ diewistaylor\ My Documents\ EAST\ Workspaces\ 10567335.wsp